Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 0	1	"6223252".pn.	USPAT	OR	OFF	2007/10/10 16:10
S11 2	18	S111 and @ad<"20030926"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 16:12
S11 1	21	("5321826" "5611069" "5666538" "5681499" "5732238" "5751997").PN. OR ("6223252"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 16:12
S11 4	1	"5727144".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 16:13
S11 3	15	S112 and (fai\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 16:13
S11 5	18	"6223252"	USPAT	OR .	OFF	2008/01/20 17:56
L2	14	L1 and spare	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:20
L1	184	yagisawa-ikuya.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:20
L7	275	L6 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:21
L6	2197	((error or fault) with (count or status) same (backup or mirror or back-up or copy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/21 22:21

	EAST Search history							
L5	7	L4 and spare	US-PGPUB; 'USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:21		
L4	109	L3 and RAID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:21		
L3	1400	yagisawa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:21		
S45	227	S44 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:22		
L13	724	L12 and RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:22		
L12	15525	((change or switch or swap) adj5 (first or primary or source or local or host)) same (mirror or copy or (back adj up) or backup or back-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:22		
L11	80	L10 and ((mirror or copy or backup) same (error with (count or instance or exceed or great\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/21 22:22		
L10	7041	711/114.ccls. 711/162.ccls. 711/161.ccls. 714/6.ccls. 710/20. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 22:22		

L9	80	L8 and ((mirror or copy or backup) same (error with (count or instance or exceed or great\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:22
L8	6564	711/114.ccls. 711/162.ccls. 711/161.ccls. 714/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 22:22
L15	51	i14 and hot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:23
L14	300	L13 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:23
L16	5290	711/114.ccls. or 710/20.ccls. or 714/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:24
L18	2018	l17 and (mirror or copy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:26
L17	2943	I16 and (RAID or redundant) and (spare or secondary or auxiliary or extra or additional or reserve or surplus or unused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:26
L20	733	I19 and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2008/01/21 22:27

L19	1092	I18 and parity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:27
L21	552	l20 and ((@pd<"20030926") or (@ad<"20030926"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/21 22:28



Home | Login | Logout | Access Information | Alerts | Purchase History |

Cart | Sitemap | Help

SUPPORT

IEEE XPLORE GUIDE

SEARCH

BROWSE

Welcome United States Patent and Trademark Office

☐ Search Session History

Mon, 21 Jan 2008, 10:34:27 PM EST Search Query Display compose a new query in the Search Query Display. Edit an existing query or

Select a search number (#)

 Add a query to the Search **Query Display**

ġ

- Combine search queries using AND, OR, or NOT
- Delete a search
 - Run a search

Recent Search Queries

(((raid)<in>metadata) <and> ((spare)<in>metadata))

Results

5 ((hot)<in>metadata) <and> ((spare)<in>metadata) <and> #1

((raid)<in>metadata) #2

(((raid)<in>metadata) <and> ((mirror)<in>metadata) <and> ((parity)<in>metadata) #3

S

(((hot)<in>metadata) <and> ((spare)<in>metadata) \cand> ((mirror)<in>metadata) #

© Copyright 2007 IEEE - All Rights Reserved Help Contact Us Privacy & Security